

# GOLD NOTE

il suono italiano



**DISCOVER THE ITALIAN SOUND**

TARIFA 2019

**ATCONSUMER VALUE RETAIL**  
Importador y distribuidor oficial en España

✉ [info@atconsumer.es](mailto:info@atconsumer.es)

☎ +34 609 288 310

☎ +34 938 538 764

🌐 [atconsumer.es](http://atconsumer.es)

NAME	TURNTABLES	FINISHES	PRICE €
MEDITERRANEO with B7 Ceramic	Belt driven Turntable made of triple isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut enables the best rigidity and frequency control – Black Vinyl ultra dampened 45mm thick Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – acrylic DC and B-7 Ceramic arm included	Italian Walnut Hardwood	8.290,00
MEDITERRANEO	Belt driven Turntable made of triple isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black or white painted MDF enables the best rigidity and frequency control – Black Vinyl extra weighted Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood  Black/White Lacquer	6.990,00  6.490,00
GIGLIO	Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black or white painted MDF for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood  Black/White Lacquer	4.990,00  4.490,00
PIANOSA	Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black or white painted MDF for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood  Black/White Lacquer	3.490,00  2.990,00
VALORE PLUS 425 + Walnut/Acrylic/Leather	Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9” B-5 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control	Walnut real veneer, Full Acrylic or Leather	1.990,00
VALORE PLUS 425 + Black/White Lacquer	Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9” B-5 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control	Black/White Lacquer	1.590,00
VALORE 425 LITE Black/White Lacquer	Belt driven rigid Turntable made of 30mm MDF plinth – MDF/Vinyl Platter – Supplied with 9” arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU	Black/White Lacquer	990,00
	<b>TONE ARMS</b>		
B-7 Ceramic	9” – custom made Ceramic Ball Bearing by GRW - Titanium & Aluminium Arm Wand - adjustable VTA - 242mm Effective Length – 10g Effective Mass		1.990,00
B-5.1	9” - custom made Ball Bearing by GRW - Aluminium Arm Wand - adjustable VTA - 242mm Effective Length – 10g Effective Mass		990,00

	<b>PHONO CARTRIDGES</b>		
TUSCANY Gold	<b>MC</b> phono cartridge – 0.25mV - Mass 11g – Tracking Weight 1.8 – 2.1g - 4ohm – 5-55.000 Hz. - Compliance 10x10-6cm/dyne - Boron stylus Micro Ridge Diamond Tip – Pure Silver coils		8.900,00
TUSCANY Red	<b>MC</b> phono cartridge – 0.35mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 20ohm - 10-50.000 Hz. - Compliance 10x10-6cm/d - Boron stylus Micro Ridge Diamond Tip		5.690,00
<b>new</b> MACHIAVELLI Gold mkII	<b>MC</b> phono cartridge – 0.4mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 70ohm - 10-45.000 Hz - 10x10-6cm/dyne - Boron stylus Line Contact Diamond Tip		3.290,00
<b>new</b> MACHIAVELLI Red mkII <b>(available march 2019)</b>	<b>MC</b> High-Output phono cartridge – 0.5mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 120ohm - 10-40.000 Hz - 10x10-6cm/dyne – Elliptical Tip		1.890,00
DONATELLO Gold	<b>MC</b> phono cartridge – 0.5mV - Mass 7g - Tracking Weight 1.8g – 2.1g - 40ohm - 10-40.000 Hz - Compliance 12x10-6cm/dyne – Micro Elliptical Tip		1.190,00
DONATELLO Red	<b>MC</b> phono cartridge – 1.8mV - Mass 7g - Tracking Weight 1.8g – 2.1g - 140ohm - 10-35.000 Hz - Compliance 12x10-6cm/dyne – Micro Elliptical Tip		890,00
VASARI Gold	<b>MM</b> phono cartridge - 4mV - Mass 9g - Tracking Weight 2.0g-1000ohm - 15-25.000 Hz – Elliptical Tip		490,00
VASARI Red	<b>MM</b> phono cartridge - 4mV - Mass 7g - Tracking Weight 2.0g-1000ohm - 15-25.000 Hz – Spherical Tip		290,00
	<b>PHONO PREAMPLIFIERS</b>		
<b>new</b> PH-1000 <b>(available march 2019)</b>	<b>MM &amp; MC</b> ultra low noise – two separate RCA Inputs + one XLR Input - RCA and XLR balanced Output – 6 positions selectable Gain -4db to +6db – 12 Selectable load 10/90kohm and variable – 12 Equalization curves with enhanced – Graphical Color display – MC 70dB MC and MM 50dB (variable) <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		6.900,00
PH-10	<b>MM &amp; MC low noise</b> – two separate RCA Inputs - RCA and XLR balanced Output – 4 positions selectable Gain -3db/0db/+3dB/+6db – 9 Selectable load 10/47kohm – 3 Equalization curves with enhanced – Graphical Color display – MC 65dB MC and MM 45dB (variable)		1.690,00
PH-1	<b>MM &amp; MC</b> – single RCA Input - RCA Output – MC 65dB MC and MM 45dB selectable via internal micro switches		790,00

<b>CD PLAYER</b>			
<b>new</b> CD1000 <b>Deluxe</b> mkII	Super Linear Dual-Mono power supply with high-end D/A convert Burr Brown <b>PCM1792A</b> – fully balanced design with RCA and XLR Balanced Output – RCA coax.dig. output – D/A converter incorporated with <b>USB</b> , 1x coax, 1 Optical – <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		5.900,00
<b>new</b> CD-1000 mkII	Super Linear Dual-Mono power supply – fully balanced design with RCA and XLR Balanced Output – RCA coax.dig. output – D/A converter incorporated with 1x coax, 1 Optical - <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		4.990,00
<b>DAC</b>			
<b>new</b> DS-1000/ <b>Deluxe</b> mkII	Wi-Fi and LAN 24/192 streamer able to handle computer and NAS devices - iOS and Android App - Internet radio DSD D/A Converter USB, TOS and Coax Input <b>Analogue Preamp stage included</b> <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		5.790,00 / <b>6.950,00</b>
<b>new</b> DS-10	DSD streamer LAN / wifi. Includes Roon, AirPlay, Tidal, Qobuz, Deezer, Spotify. V-Tuner. DAC options: USB, AES/EBU, Coax, TOS, Class A analogue pre-am and class A headphone 1Watt 5 Watt swiccheable power amp.		2.990,00

<b>SUPER INTEGRATED AMPLIFIERS</b>			
<b>IS-1000 Deluxe</b>	125 x ch. 8ohm – 3 TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In Phono MM/MC convertible – Fixed and variable output- Damping Factor adjustment – 3 position Booster control – <b>DAC BB PCM1792A</b>		5.990,00
<b>IS-1000</b>	125 x ch. 8ohm – 3 TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In Phono MM/MC convertible – Fixed and variable output- Damping Factor adjustment – 3 position Booster control		5.290,00
<b>POWER AMPLIFIER</b>			
<b>new</b> PA-1175 mkII	200watt/8ohm per channel power amplifier fully balanced selectable RCA or XLR output – To be used as Mono Amplifier for 520watt per channel – Adjustable Damping Factor		6.600,00
<b>LINE PREAMPLIFIER</b>			
<b>P-1000</b>	High resolution 6 gain fully balanced separated Line Preamp featuring Resistor-Relays optical volume control. INPUT: 5pr RCA or 5pr XLR – PRE OUT: 1pr RCA & 1pr XLR <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		6.900,00  with coax DAC 7.900,00

TUBE STAGES			
TUBE-1012	<b>Class A Tube output Unit</b> – Tube stage matches all 1000 series sources and preamplifier featuring Multiple inductive Power supply powering 12 tube Tube output stage enhancing audio performance.		6.800,00
TUBE-1006	<b>Class A Tube output Unit</b> – Tube stage matches all 1000 series sources and preamplifier featuring Dual Mono powered 6 tube Tube output stage enhancing audio performance.		3.900,00
EXTERNAL POWER SUPPLIES			
new PSU-1250	Super External Inductive multi transformer 1250watt Power Supply matches all 1000 series sources and preamplifiers.		6.900,00
new PSU-1000	Super External Inductive 1000watt Power Supply matches all 1000 series sources and preamplifiers.		3.900,00
new PST-10	Super External Inductive Power Supply to match all Gold Note Turntable		1.190,00
PSU-10	Super External Inductive Power Supply to match the PH10 phono preamplifier		1.190,00
PSU-1	Super External Inductive Power Supply to match the PH1 phono preamplifier		890,00

LOUDSPEAKERS			
XS-85	Two modules 3 way QB3 N.4 design - 2 Nextel paper woofers 22cm + 2 Nextel paper midrange 15 cm + 1 special custom soft dome tweeter with double aluminium treated chamber - Super Recessed Curved front panels – Double structure highly dampened reinforced structure – 89dB	Grand Piano Black, White or Walnut side panels	39.000,00 pair
XT-7	3 way tower – 1 Ribbon Tweeter – 1x5" Woven hardened Polypropylene Mid - 2x6" Woven hardened Polypropylene Woofer - 38Hz-25kHz – Bi-wiring GN binding posts – 90dB	Glossy Black, White or Matt Walnut side panels	14.900,00 pair
new A6 EVO	88dB - 4ohm - 3way rear bass reflex tower – 1" dome Tweeter - 2x5" Mid-Woofer – 6,5" symmetrical subwoofer - 40Hz-20kHz – Diamond shaped lacquered side panels – Weight 35Kg/ea. Dimensions: 1080mm Height - 230mm Large - 285mm Deep - Stand 290mm Large x 445mm deep	Black Glossy  Walnut Glossy	6.900,00 pair  7.900,00 pair
new A3 EVO	86dB rear bass reflex- 8ohm - 2way bookshelf 35cm tall, 19cm large, 28,5cm deep – 1" dome Tweeter - 6" Mid-Woofer - 45Hz-20kHz – Diamond shaped lacquered side panels – Weight 10Kg/ea. Dimensions: 350mm Height - 230mm Large - 285mm Deep -	Black Glossy  Walnut Glossy	4.900,00 pair  4.500,00 pair
new STAND EVO	Dedicated A3 EVO stand made of painted MDF and Aluminium – Weight 20Kg/pr. Dimensions: 750mm Height - 290mm Large - 445mm Deep –		1.290,00 pair

	<b>C A B L E S</b>		
FIRENZE USB	<b>USB</b> - (A-B) True balanced & isolated design		150,00 1m.
FIRENZE ETHERNET	<b>ETHERNET</b> - CAT6 True isolated design		190,00 2m.
PHONO CABLE Plus	<b>Phono Cable Gold Note</b> – Gold Note DIN/RCA Rhodium nickel-free Tone Arms Fully Balanced Extra Shielded Phono Cable Solid Core Hybrid Design Silver & Copper sealed oiled design XLR balanced connectors available on request		490,00 1,5m
PHONO CABLE	<b>Phono Cable Gold Note</b> – Gold Note DIN/RCA dedicated Tone Arms Shielded Phono Cable 100% OFC Stranded Copper		245,00 1,5m.  350,00 2,5m.
<b>new</b> LUCCA AC mkII	<b>Power Cord Cable Gold Note</b> – Gold Note IES/Schuko or US Plug dedicated special AC Power cord Cable 100% OFC Stranded Copper		250,00 1,5m.